PℝRTAL
USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

| user profile media content | **SEARCH** |

THE ACM DIGITAL LIBRARY

⯀ Feedback

user profile media content
Terms used: **user profile media content**

Found 2,177 of 238,786

Sort results by | relevance ▼ | ◆ Save results to a Binder

Display results | expanded form ▼ | ☐ Open results in a new window

Refine these results with Advanced Search

Try this search in The ACM Guide

Results 1 - 20 of 2,177   Result page: **1** 2 3 4 5 6 7 8 9 10   next   >>

1 Understanding intranets in the context of end-user computing
Roberta Lamb, Elizabeth Davidson
February 2005 **ACM SIGMIS Database**,   Volume 36 Issue 1
Publisher: ACM

Full text available: ▦ pdf(401.15 KB)   Additional Information: full citation, abstract, references, index terms

In this paper, we examine the adoption and use of organizational intranets as an extension of the end-user computing movement. This perspective provides a background against which the rapid proliferation of organizational intranets in the 1990s can be ...

Keywords: IT adoption and diffusion, IT integration, end-user computing, intranets, technology skills

2 Broadcast protocols to support efficient retrieval from databases by mobile users
Anindya Datta, Debra E. VanderMeer, Aslihan Celik, Vijay Kumar
March 1999 **ACM Transactions on Database Systems (TODS)**,   Volume 24 Issue 1
Publisher: ACM

Full text available: ▦ pdf(638.48 KB)   Additional Information: full citation, abstract, references, cited by, index terms, review

Mobile computing has the potential for managing information globally. Data management issues in mobile computing have received some attention in recent times, and the design of adaptive braodcast protocols has been posed as an important ...

Keywords: adaptive broadcast protocols, client-server computing, energy conservation, mobile databases

3 A web-based aggregated platform for user-contributed interactive media broadcasting
Jingjing Liu, Yalou Huang, Dong Li, Fanghao Wu, Bin Li
September 2007 **MULTIMEDIA '07:** Proceedings of the 15th international conference on Multimedia
Publisher: ACM

Full text available: ▦ pdf(1.46 MB)   Additional Information: full citation, abstract, references,

P☉RTAL
USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

| user profile media content source | | **SEARCH** |

THE ACM DIGITAL LIBRARY

† Feedback

user profile media content source
Terms used: **user** **profile** **media** **content** **source**

Found **1,539** of **238,786**

| Sort results by | relevance ▾ | ◆ Save results to a Binder | Refine these results with Advanced Search |
| Display results | expanded form ▾ | ☐ Open results in a new window | Try this search in The ACM Guide |

Results 1 - 20 of 1,539   Result page: **1** 2 3 4 5 6 7 8 9 10   next   >>

1 Understanding intranets in the context of end-user computing
Roberta Lamb, Elizabeth Davidson
February 2005 **ACM SIGMIS Database**, Volume 36 Issue 1
Publisher: ACM

Full text available: 📄 pdf(401.15 KB)   Additional Information: full citation, abstract, references, index terms

In this paper, we examine the adoption and use of organizational intranets as an extension of the end-user computing movement. This perspective provides a background against which the rapid proliferation of organizational intranets in the 1990s can be ...

Keywords: IT adoption and diffusion, IT integration, end-user computing, intranets, technology skills

2 Broadcast protocols to support efficient retrieval from databases by mobile users
Anindya Datta, Debra E. VanderMeer, Aslihan Celik, Vijay Kumar
March 1999 **ACM Transactions on Database Systems (TODS)**, Volume 24 Issue 1
Publisher: ACM

Full text available: 📄 pdf(638.48 KB)   Additional Information: full citation, abstract, references, cited by, index terms, review

Mobile computing has the potential for managing information globally. Data management issues in mobile computing have received some attention in recent times, and the design of adaptive braodcast protocols has been posed as an important ...

Keywords: adaptive broadcast protocols, client-server computing, energy conservation, mobile databases

3 A web-based aggregated platform for user-contributed interactive media broadcasting
Jingjing Liu, Yalou Huang, Dong Li, Fanghao Wu, Bin Li
September 2007 **MULTIMEDIA '07**: Proceedings of the 15th international conference on Multimedia
Publisher: ACM

Full text available: 📄 pdf(1.46 MB)   Additional Information: full citation, abstract, references,

P⊙RTAL

USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

user profile media content type source   **SEARCH**

THE ACM DIGITAL LIBRARY

🎥 Feedback

user profile media content type source
Terms used: **user** **profile** **media** **content** **type** **source**

Found **1,352** of **238,786**

| Sort results by | relevance ▼ | ❤ Save results to a Binder | Refine these results with Advanced Search |
| Display results | expanded form ▼ | ☐ Open results in a new window | Try this search in The ACM Guide |

Results 1 - 20 of 1,352   Result page: **1** 2 3 4 5 6 7 8 9 10   next   >>

1 Understanding intranets in the context of end-user computing
Roberta Lamb, Elizabeth Davidson
February 2005 **ACM SIGMIS Database**, Volume 36 Issue 1
Publisher: ACM

Full text available: 📄 pdf(401.15 KB)   Additional Information: full citation, abstract, references, index terms

> In this paper, we examine the adoption and use of organizational intranets as an extension of the end-user computing movement. This perspective provides a background against which the rapid proliferation of organizational intranets in the 1990s can be ...

> **Keywords**: IT adoption and diffusion, IT integration, end-user computing, intranets, technology skills

2 Broadcast protocols to support efficient retrieval from databases by mobile users
Anindya Datta, Debra E. VanderMeer, Aslihan Celik, Vijay Kumar
March 1999 **ACM Transactions on Database Systems (TODS)**, Volume 24 Issue 1
Publisher: ACM

Full text available: 📄 pdf(638.48 KB)   Additional Information: full citation, abstract, references, cited by, index terms, review

> Mobile computing has the potential for managing information globally. Data management issues in mobile computing have received some attention in recent times, and the design of adaptive braodcast protocols has been posed as an important ...

> **Keywords:** adaptive broadcast protocols, client-server computing, energy conservation, mobile databases

3 A web-based aggregated platform for user-contributed interactive media broadcasting
Jingjing Liu, Yalou Huang, Dong Li, Fanghao Wu, Bin Li
September 2007 **MULTIMEDIA '07:** Proceedings of the 15th international conference on Multimedia
Publisher: ACM

Full text available: 📄 pdf(1.46 MB) Additional Information: full citation, abstract, references,

Google Scholar BETA

user profile media content | Search |

Scholar   All articles - <u>Recent articles</u> Results **1 - 10** of about **108,000** for <u>user</u> <u>profile</u> <u>media</u> <u>content</u>. (0.20 seconds)

All Results

M Balabanović
U Shardanand
M Pazzani
Y Shoham
P Maes

Fab: **content**-based, collaborative recommendation - all 16 versions »
M Balabanović, Y Shoham - Communications of the ACM, 1997 - portal.acm.org
... a com- parison between their **content** and a **user profile**. ... mass of **content** available
on the World-Wide ... **media**, readers are provided assistance in making selections ...
Cited by 925 - Related Articles - Web Search

[PDF] Modeling of Context Information for Pervasive Computing Applications - all 5 versions »
A Held, S Buchholz, A Schill - Proceedings of the 6th World Multiconference on Systemics, ..., 2002 - wwwrn.inf.tu-dresden.de
... detailed specification of the supported **media content** types to ... **content** type names
by **content** type specific ... Therefore, **user profiles** should provide for means to ...
Cited by 74 - Related Articles - View as HTML - Web Search

A Framework for Collaborative, **Content**-Based and Demographic Filtering - all 14 versions »
MJ Pazzani - Artificial Intelligence Review, 1999 - Springer
... Fab uses only a **content**-based approach to selection, in which items found by any
collection agent are rated by the **user's content** based **profile** and the most ...
Cited by 291 - Related Articles - Web Search

Social information filtering: algorithms for automating "word of mouth" - all 25 versions »
U Shardanand, P Maes - Proceedings of the SIGCHI conference on Human factors in ..., 1995 - portal.acm.org
... Ringo compares **user profiles** to determine which users have similar taste ... system can
predict how much the **user** may like ... by sending e-mail to ringo@**media**.mit.edu ...
Cited by 1365 - Related Articles - Web Search

Applications of video-**content** analysis and retrieval - all 14 versions »
N Dimitrova, HJ Zhang, B Shahraray, I Sezan, T ... - Multimedia, IEEE, 2002 - ieeexplore.ieee.org
... information, as well as descriptions of **user** preferences and ... the exchange of **content**
between different **content** providers along the **media** value chain. ...
Cited by 88 - Related Articles - Web Search

Case-Based **User** Profiling for **Content** Personalisation - all 9 versions »
K Bradley, R Rafter, B Smyth - Adaptive Hypermedia and Adaptive Web-Based Systems: ..., 2000 - books.google.com
... Rafter & Barry Smyth Smart **Media** Institute Department of ... 9] and Letizia [8] are
content-based systems ... The **user's profile** is composed of keywords extracted from ...
Cited by 54 - Related Articles - Web Search

Learning and Revising **User** Profiles: The Identification of Interesting Web Sites - all 14 versions »
M Pazzani, D Billsus - Machine Learning, 1997 - Springer
... equal to 0). ID3 selects the test that provides the highest gain in information
content. ... The initial **user profile** used in Syskill & Webert consists of a set of ...
Cited by 519 - Related Articles - Web Search

Modeling Interaction and **Media** Objects - all 8 versions »
KD Schewe, B Thalheim, P North, N Zealand - Natural Language Processing and Information Systems: 5th
..., 2001 - books.google.com

Google Scholar BETA

user profile media content source | Search |

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles - **Recent articles** Results **1 - 10** of about **72,800** for **user profile media content source** (0.22 s

All Results

M Balabanović

U Shardanand

M Pazzani

Y Shoham

P Maes

Fab: content-based, collaborative recommendation - all 16 versions »
M Balabanović, Y Shoham - Communications of the ACM, 1997 - portal.acm.org
... **media**, readers are provided assistance in making selections ... be able to provide good
content-based recommendations ... matching an average of all **user profiles** in the ...
Cited by 925 - Related Articles - Web Search

Social information filtering: algorithms for automating "word of mouth" - all 25 versions »
U Shardanand, P Maes - Proceedings of the SIGCHI conference on Human factors in ..., 1995 -
portal.acm.org
... try out Ringo via the World Wide Webb (http://ringo.**media**.mit.edu ... The mean score
of each **profile**, ie the average score given all artists by a **user**, was 3.7 ...
Cited by 1365 - Related Articles - Web Search

Applications of video-**content** analysis and retrieval - all 14 versions »
N Dimitrova, HJ Zhang, B Shahraray, I Sezan, T ... - Multimedia, IEEE, 2002 - ieeexplore.ieee.org
... information, as well as descriptions of **user** preferences and ... the exchange of **content**
between different **content** providers along the **media** value chain. ...
Cited by 88 - Related Articles - Web Search

A Framework for Collaborative, **Content**-Based and Demographic Filtering - all 14
versions »
MJ Pazzani - Artificial Intelligence Review, 1999 - Springer
... Papka 1996) analyzes the **content** of information sources (eg, the HTML **source** of
Web pages) that have been rated to create a **profile** of the **user's** interests ...
Cited by 291 - Related Articles - Web Search

Using MPEG-7 and MPEG-21 for personalizing video - all 4 versions »
BL Tseng, CY Lin, JR Smith - Multimedia, IEEE, 2004 - ieeexplore.ieee.org
... **Media** descriptions **Media** descriptions identify and describe the ... that will include
the device **profiles** to cover the ... The MPEG-7 **user** preferences DS lets users ...
Cited by 46 - Related Articles - Web Search

Towards universal access to **content** using MPEG-7
JM Martínez, C González, O Fernández, C García, J ... - Proceedings of the tenth ACM international
conference on ..., 2002 - portal.acm.org
... parts: the "**User** Identifier" where we have the information about the **user** who has
edited this **profile** and the ... of the **media content** the **user** wants to get ...
Cited by 14 - Related Articles - Web Search

Dynamic regulation of television viewing **content** based on viewer **profile** and viewing
history - all 3 versions »
BJ Cragun, PR Day - US Patent 5,973,683, 1999 - Google Patents
... Andrew J. Dillon [57] ABSTRACT A user friendly method for regulating the **media** environ
-ment ... A viewer's **profile** is pro- vided by a **user** which determines ...
Cited by 43 - Related Articles - Web Search

[PDF] Agents in delivering personalized **content** based on semantic metadata - all 7
versions »
T Kurki, S Jokela, R Sulonen, M Turpeinen - Proc. 1999 AAAI Spring Symposium Workshop on Intelligent
..., 1999 - lib.tkk.fi
... new pieces of **content** against the **user's** interest **profile**, and make ... End **user** ... Ensured

Google Scholar BETA

| user profile media content type source | Search |

Scholar All articles - **Recent articles** Results **1 - 10** of about **64,000** for **user profile media content type source** (0

A Framework for Collaborative, **Content**-Based and Demographic Filtering - all 14 versions »

MJ Pazzani - Artificial Intelligence Review, 1999 - Springer
... Collaboration via **content** finds a correlation between the **content**- based **profile**
of a particular **user** and the **content**-based **profile** of other users. ...
Cited by 291 - Related Articles - Web Search

Towards universal access to **content** using MPEG-7

JM Martínez, C González, O Fernández, C García, J ... - Proceedings of the tenth ACM international
conference on ..., 2002 - portal.acm.org
... the identifier of the owner, allowing each system **user** to access easily his **profiles**. ...
to 1), whilst the remainder of variations' **Media** information is ...
Cited by 14 - Related Articles - Web Search

Web usage mining: discovery and applications of usage patterns from Web data - all 42 versions »

J Srivastava, R Cooley, M Deshpande, PN Tan - ACM SIGKDD Explorations Newsletter, 2000 -
portal.acm.org
... Each **type** of data collection differs not only in terms of the location of ... Structure:
Data which describes the organization of the **content**. ... **User Profile**: Data ...
Cited by 762 - Related Articles - Web Search

[PDF] **User** Adaptable Multimedia Presentations for the WWW - all 7 versions »

F Rousseau, A Garcia-Macias, J Valdeni de Lima, A ... - Electronic Proceedings from the 8th International
World Wide ..., 1999 - cicese.mx
... which have the same charcteristics as **media** objects ... we can have the following **content**
predicate ... **user profile**- a player automatically generates a predicate based ...
Cited by 39 - Related Articles - View as HTML - Web Search

System and method for creating a semantic web and its applications in browsing, searching, profiling ... - all 4 versions »

A Sheth, D Avant, C Bertram - US Patent 6,311,194, 2001 - Google Patents
... A system and method for creating a database of metadata (metabase) of a variety of
digital **media content**, including TV and radio **content** delivered on Internet. ...
Cited by 38 - Related Articles - Web Search

Social information filtering: algorithms for automating "word of mouth" - all 25 versions »

U Shardanand, P Maes - Proceedings of the SIGCHI conference on Human factors in ..., 1995 -
portal.acm.org
... try out Ringo via the World Wide Webb (http://ringo.**media**.mit.edu ... The mean score
of each **profile**, ie the average score given all artists by a **user**, was 3.7 ...
Cited by 1365 - Related Articles - Web Search

Applications of video-**content** analysis and retrieval - all 14 versions »

N Dimitrova, HJ Zhang, B Shahraray, I Sezan, T ... - Multimedia, IEEE, 2002 - ieeexplore.ieee.org
... information, as well as descriptions of **user** preferences and ... the exchange of **content**
between different **content** providers along the **media** value chain. ...
Cited by 88 - Related Articles - Web Search

[PDF] Agents in delivering personalized **content** based on semantic metadata - all 7

Welcome United States Patent and Trademark Office

☐ **Search Results**

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(((user)<in>metadata) <and> ((profile)<in>metadata))<and> ((content)<..."
Your search matched **183** of **1743858** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☒ e-mail ✎ printer

New [Beta]
Application Notes
POWERED BY
GLOBALSPEC

» **Search Options**

View Session History

New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(((user)<in>metadata) <and> ((profile)<in>metadata))<and> ((content)<in>metada   Search ⟩

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

IEEE/IET	Books	Educational Courses	Application Notes [

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

⌐ **view selected items**   **Select All Deselect All**   View: **1-25** | 26-50 | 51-75

☐ 1. **Multimedia content recommendation engine with automatic inference of user preferences**
Ferman, A.M.; van Beek, P.; Errico, J.H.; Sezan MI;
Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Conference on
Volume 3, 14-17 Sept. 2003 Page(s):III - 49-52 vol.2
Digital Object Identifier 10.1109/ICIP.2003.1247178

AbstractPlus | Full Text: PDF(341 KB)   IEEE CNF
Rights and Permissions

☐ 2. **Personalized delivery of digest video managed on MPEG-7**
Echigo, T.; Masumitsu, K.; Teraguchi, M.; Etoh, M.; Sekihuchi, S.;
Information Technology: Coding and Computing, 2001. Proceedings. International Conference or
2-4 April 2001 Page(s):216 - 220
Digital Object Identifier 10.1109/ITCC.2001.918794

AbstractPlus | Full Text: PDF(388 KB)   IEEE CNF
Rights and Permissions

☐ 3. **Content Recommendation System Based on Private Dynamic User Profile**
Chen, Ting; Han, Wei-Li; Wang, Hai-Dong; Zhou, Yi-Xun; Xu, Bin; Zang, Bin-Yu;
Machine Learning and Cybernetics, 2007 International Conference on
Volume 4, 19-22 Aug. 2007 Page(s):2112 - 2118
Digital Object Identifier 10.1109/ICMLC.2007.4370493

AbstractPlus | Full Text: PDF(915 KB)   IEEE CNF
Rights and Permissions

☐ 4. **MPEG-7 MDS-Based Application Specific Metadata Model for Personalized Multi-Service A
in a DTV Broadcast Environment**
Tsekeridou, S.;
Multimedia and Expo, 2005. ICME 2005. IEEE International Conference on
6-6 July 2005 Page(s):856 - 859
Digital Object Identifier 10.1109/ICME.2005.1521558

AbstractPlus | Full Text: PDF(361 KB)   IEEE CNF
Rights and Permissions

☐ 5. **User Study for Generating Personalized Summary Profiles**
Agnihotri, L.; Kender, J.R.; Dimitrova, N.; Zimmerman, J.;
Multimedia and Expo, 2005. ICME 2005. IEEE International Conference on
6-6 July 2005 Page(s):1094 - 1097
Digital Object Identifier 10.1109/ICME.2005.1521616

IEEE *Xplore* ®
RELEASE 2.5

☐ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(((user)<in>metadata) <and> ((profile)<in>metadata))<and> ((media)<in..."   ☒ e-mail 🖶 printer
Your search matched **94** of **1743858** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

New [Beta]
Application Notes
POWERED BY
GLOBALSPEC

» **Search Options**

View Session History

New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(((user)<in>metadata) <and> ((profile)<in>metadata))<and> ((media)<in>metadata   **Search ⊳**

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

IEEE/IET	**Books**	**Educational Courses**	**Application Notes [**

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

⌐ **view selected items**   Select All   Deselect All   View: **1-25** | 26-50 | 51-7!

☐   1.   **Design and Implementation of a Wireless Sensor Network for Intelligent Light Control**
Heemin Park; Burke, J.; Srivastava, M.B.;
Information Processing in Sensor Networks, 2007. IPSN 2007. 6th International Symposium on
25-27 April 2007 Page(s):370 - 379
Digital Object Identifier 10.1109/IPSN.2007.4379697

AbstractPlus | Full Text: PDF(5187 KB)   IEEE CNF
Rights and Permissions

☐   2.   **User Study for Generating Personalized Summary Profiles**
Agnihotri, L.; Kender, J.R.; Dimitrova, N.; Zimmerman, J.;
Multimedia and Expo, 2005. ICME 2005. IEEE International Conference on
6-6 July 2005 Page(s):1094 - 1097
Digital Object Identifier 10.1109/ICME.2005.1521616

AbstractPlus | Full Text: PDF(458 KB)   IEEE CNF
Rights and Permissions

☐   3.   **Semantic maps and meta-data enhancing e-accessibility in tourism information systems**
Rumetshofer, H.; Woss, W.;
Database and Expert Systems Applications, 2005. Proceedings. Sixteenth International Worksho
22-26 Aug. 2005 Page(s):881 - 885
Digital Object Identifier 10.1109/DEXA.2005.176

AbstractPlus | Full Text: PDF(128 KB)   IEEE CNF
Rights and Permissions

☐   4.   **A flow-based network monitoring framework for wireless mesh networks**
Feiyi Huang; Yang Yang; Liwen He;
Wireless Communications, IEEE [see also IEEE Personal Communications]
Volume 14, Issue 5, October 2007 Page(s):48 - 55
Digital Object Identifier 10.1109/MWC.2007.4396942

AbstractPlus | Full Text: PDF(161 KB)   IEEE JNL
Rights and Permissions

☐   5.   **Extending QoS from Radio Access to an All-IP Core in 3G Networks: An Operator's Perspe**
Zaghloul, S.; Jukan, A.; Alanqar, W.;
Communications Magazine, IEEE
Volume 45, Issue 9, September 2007 Page(s):124 - 132
Digital Object Identifier 10.1109/MCOM.2007.4342867

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	438	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:27
S7	26	S6 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:08
S5	438	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:08
S10	801	S9 and (user adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:21
S9	20335	content near3 (distribut$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:21
S8	1	S7 and (zip and ticket$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:21
S12	426	S11 and (search$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:22
S13	17	S12 and (search$6 with (media near3 content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:30

S15	5	"674680".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:55
S16	5	"263015".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:01
S14	12	S13 and (purchase or buy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:01
S21	2	S18 and (interpret$3 near5 (user adj profile$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 10:44
S20	0	S18 and (interpret$3 near5 (user adj profiles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 10:44
S19	3401	S18 and interpret$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 10:44
S1	1651170	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:28
S24	0	"20050071323" and (software with hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:49

EAST Search History

S22	2	"20050071323" and apparatus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:49
S23	2	"20030208767" and (television or tv or vod or satellite or pay or video or demand or theater$1 or vhs or dvd or cd or radio or audio or streaming)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 13:02
S26	2	"20030208737"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:29
S25	1	"20040003097" and (television or tv or vod or satellite or pay or video or demand or theater$1 or vhs or dvd or cd or radio or audio or streaming)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:29
S27	2	"20030208767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:30
S29	1	"20040003097" and movie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:32
S28	1	"20030208767" and movie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:32
S4	26	S3 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:12

EAST Search History

S35	3	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:14
S38	33	S37 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:15
S34	56	S32 and schedul$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:15
S41	734	S40 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:16
S31	206	S30 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:16
S39	23	S38 and schedul$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:17
S33	7	S32 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:17
S37	685	S36 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:18

EAST Search History

S48	10	S46 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:19
S53	26	S52 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S52	141	S51 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S50	9	S49 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S47	1	"L117" and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S46	371	S45 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S43	123	S42 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S54	26	S53 and schedul$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:21

EAST Search History

S44	110	S43 and schedul$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:21
S56	0	"20040049516" and (comupter near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:34
S55	2	"20040049516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:34
S59	2	"20040049516" and (system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:35
S58	0	"20040049516" and (comupter near5 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:35
S57	0	"20040049516" and (comupter near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:35
S60	2	"20040049516" and (computer near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:44
S63	242	707/100.ccls. and (function near2 call$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:45

EAST Search History

S62	6	707/100.ccls. and (queue near3 header$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:45
S65	2	"20040049516" and (library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:54
S66	1	"6490666".pn. and (library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:55
S68	5405	(library near2 function$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:56
S72	2	"5706437".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 11:48
S73	5	"785853".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 12:49
S75	231	S74 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:10
S74	664	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:10

S3	310	S2 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:10
S83	503	S82 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S82	1366	S81 and (user adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S81	27978	content near3 (distribut$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S80	100	S77 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S78	231	S77 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S77	664	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S76	100	·S74 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11

S6	310	S5 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S89	9440	((((user adj profile$1) with preference$1) search$3) with content$1) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S88	7191	((((user adj profile$1) with preference$1) search$3) with content$1) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S87	14480	((((user adj profile$1) with preference$1) search$3) same content$1) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S86	12531	((((user adj profile$1) with preference$1) search$3) same content$1) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S85	119	S82 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S18	15491	((((user adj profile$1) with preference$1) search$3) with content$1) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S17	26448	((((user adj profile$1) with preference$1) search$3) same content$1) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12

S11	597	S10 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S93	58	707/104.1.ccls. and @prad<"20030801" and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S92	134	707/104.1.ccls. and @rlad<"20030801" and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S91	1236	707/104.1.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S90	1776	707/104.1.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S32	206	707/104.1.ccls. and @ad<"20030801" and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S30	4586	707/104.1.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S99	751	S98 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14

EAST Search History

S98	2545	725/37-59.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S97	1020	725/37-59.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S96	1336	725/37-59.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S95	11723	"707".clas. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S94	15207	"707".clas. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S42	734	S41 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S40	2481	725/37-59.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S36	27941	"707".clas. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14

EAST Search History

S10 7	68	707/104.1.ccls. and (user near5 profile$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S10 6	237	707/104.1.ccls. and (user near5 profile$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S10 5	68	707/104.1.ccls. and (user near5 profile$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S10 4	237	707/104.1.ccls. and (user near5 profile$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S10 3	3384	707/100-200.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S10 2	5069	707/100-200.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S10 1	112	S99 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S10 0	300	S99 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15

EAST Search History

S49	422	707/104.1.ccls. and (user near5 profile$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S45	13121	707/100-200.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S110	1386	707/100.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:16
S109	83	725/37-59.ccls. and (user near5 profile$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:16
S108	262	725/37-59.ccls. and (user near5 profile$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:16
S116	4	707/100.ccls. and ((function near2 call$1) same queu$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S115	6	707/100.ccls. and ((function near2 call$1) same queu$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S114	906	707/100.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17

EAST Search History

S11 3	1386	707/100.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S11 2	83	725/37-59.ccls. and (user near5 profile$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S11 1	262	725/37-59.ccls. and (user near5 profile$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S64	8	707/100.ccls. and ((function near2 call$1) same queu$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S61	3262	707/100.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S51	350	725/37-59.ccls. and (user near5 profile$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S12 2	3	((library near2 function$1) same queu$3 same header$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S12 1	5	(library near2 function$1 near5 queu$) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18

S11 9	5	(library near2 function$1 near5 queu$) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S11 7	4364	(library near5 function$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S70	26	(library near2 function$1 near5 queu$) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S67	8849	(library near5 function$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S12 4	5	(library near2 function$1 near4 queu$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19
S12 3	0	((library near2 function$1) same queu$3 same header$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19
S71	19	(library near2 function$1 near4 queu$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19
S69	7	((library near2 function$1) same queu$3 same header$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19

EAST Search History

S12 5	4	(library near2 function$1 near4 queu$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:34
S12 6	5	"674680".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:41
S12 7	1	"674680".ap. and (Schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:46
S12 9	1	"674680".ap. and (user$1 with select$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:47
S12 8	0	"674680".ap. and (user$1 with select$3 with profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:47
S13 2	2	"20030208767" and (schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:59
S13 1	2	"20030208767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:59
S13 0	1	"674680".ap. and ((user$1 with select$3) or profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:59

EAST Search History

S11 8	2183	(library near5 function$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:04
S13 3	132103	(((search$3 or quer$3) with schedul$3 with result$1) media and content$1)and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:05
S13 4	132103	(((search$3 or quer$3) with schedul$3 with result$1) media and content$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:07
S13 5	186	((search$3 or quer$3) with schedul$3 with result$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:08
S13 6	35	(((search$3 or quer$3) with schedul$3 with result$1) and (media same content$1)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:25
S13 7	1	"20040172415" and schedul$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:32
S13 8	2	"20040003097"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:33
S13 9	1	"20040003097" and (schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:32

EAST Search History

S14 0	1	"20030208767" and (profile$1 or zip or select$3 or menu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:42
S14 1	2	"20040003097" and (profile$1 or zip or select$3 or menu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:43
S14 2	2	"20050071323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:05
S14 6	87	S143 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:14
S14 5	102	S143 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:14
S14 4	243	S143 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:14
S14 3	736	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:14
S15 6	121	S154 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15

EAST Search History

S15 5	543	S154 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S15 4	1527	S153 and (user adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S15 3	30026	content near3 (distribut$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S15 2	5	S150 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S15 1	21	S149 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S15 0	102	S148 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S14 9	243	S148 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S14 8	736	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15

S14 7	21	S144 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:15
S16 2	467	S160 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:16
S16 1	837	S159 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:16
S16 0	14579	((((user adj profile$1) with preference$1) search$3) same content$1) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:16
S15 9	13045	((((user adj profile$1) with preference$1) search$3) same content$1) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:16
S15 8	5	S156 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:16
S15 7	13	S155 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:16
S16 7	268	S165 and interpret$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:17

S16 6	372	S164 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:17
S16 5	638	S163 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:17
S16 4	9490	(((((user adj profile$1) with preference$1) search$3) with content$1) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:17
S16 3	7518	(((((user adj profile$1) with preference$1) search$3) with content$1) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:17
S17 0	1866	707/104.1.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:18
S16 9	1	S165 and (interpret$3 near5 (user adj profile$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:18
S16 8	5	S155 and (interpret$3 near5 (user adj profile$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:18
S17 2	943	S171 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:19

EAST Search History

S17 1	15954	"707".clas. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:19
S17 8	112	S176 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:20
S17 7	305	S176 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:20
S17 6	766	S175 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:20
S17 5	2595	725/37-59.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:20
S17 4	57	S173 and schedul$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:20
S17 3	76	S172 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:20
S18 1	243	S180 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:21

S18 0	243	S179 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:21
S17 9	5318	707/100-200.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:21
S18 6	88	725/37-59.ccls. and (user near5 profile$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:22
S18 5	273	725/37-59.ccls. and (user near5 profile$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:22
S18 4	73	707/104.1.ccls. and (user near5 profile$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:22
S18 3	249	707/104.1.ccls. and (user near5 profile$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:22
S18 2	9	S181 and (show near3 time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:22
S19 2	38	707/100.ccls. and (function near2 call$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:23

S19 1	115	707/100.ccls. and (function near2 call$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:23
S19 0	0	707/100.ccls. and (queue near3 header$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:23
S18 9	8	707/100.ccls. and (queue near3 header$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:23
S18 8	926	707/100.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:23
S18 7	1441	707/100.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:23
S19 6	2237	(library near5 function$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:24
S19 5	4520	(library near5 function$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:24
S19 4	4	707/100.ccls. and ((function near2 call$1) same queu$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:24

EAST Search History

S19 3	6	707/100.ccls. and ((function near2 call$1) same queu$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:24
S20 2	4	(library near2 function$1 near4 queu$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:25
S20 1	5	(library near2 function$1 near4 queu$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:25
S20 0	5	(library near2 function$1 near5 queu$) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:25
S19 9	5	(library near2 function$1 near5 queu$) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:25
S19 8	0	((library near2 function$1) same queu$3 same header$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:25
S19 7	3	((library near2 function$1) same queu$3 same header$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:25
S20 3	2	"20030208767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 10:57

S20 4	1	"20050071323" and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 12:48
S20 5	2	"20040003097"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 12:55
S20 6	0	"20040003097" and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 13:06
S20 7	1	"20040003097" and result$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 13:07
S20 8	2	"20050071323" and (first or second or section or (distribution source$1) or each or (return$3 near4 result$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 13:43
S21 0	2	"20050071323" and (user or history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:19
S20 9	0	"20050071323" and (user with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:19
S21 3	0	"20050071323" and history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:20

EAST Search History

S21 2	2	"20050071323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:20
S21 1	0	"20050071323" and (history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:20
S21 5	0	"20030208767" and log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:38
S21 4	0	"20030208767" and history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:38
S21 6	2	"20030208767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:56
S21 7	1	"20040003097" and return$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 14:58
S21 8	192	((return$3 near3 result$1) with period$6) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 15:01
S21 9	17	((return$3 near3 result$1) with period$6 with (no or without)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/12 15:06